

VIP

[WATCH NOW ▶](#)

/Description

Vip is a radial tile cutter ideal for straight and 45° angle cuts on porcelain stoneware, tiles and marble. Strong and precise, it is equipped with sliding cutting head and plunging motor. It is designed to work with diamond disks Ø200 mm.

/Features

- Sliding cutting head and plunging motor
- Foldable legs
- Transport wheels (Only for Vip 2125)
- Pump P0 (Vip 2110, Vip 290, Vip 260); Pump P1/4 (Vip 2125)
- Disk Ø 200 included | Art. TNSB200W (only for Vip 2125)
- Disk Ø 200 included | Art. 889 (for Vip 2110, Vip 290, Vip 260)

/Trademarks

- TT-Power
- Spray System
- AxT

/Range

- Vip 2125
- Vip 2110
- Vip 290
- Vip 260

/Features



ELECTRIC MACHINES

VIP



SPRAY SYSTEM

Patented system that improves the lubrication of diamond discs and ensures higher cutting performance and longer-lasting blades.



PLUNGING HEAD

The cutting head is plunging and can be locked at the intended height. It makes every kind of shape.



FRAME AND WORKTOP

The frame and the worktop in aluminium are wider to allow greater stability and precision during the cut. The special shape of the worktop allows an easy cleaning. Only for Art. 857.



CARRIAGE MOTOR GROUP

The carriage motor group slides with 6 ball-bearings (2 of which are adjustable) on the track. The sliding is very fast and precise. Only for Art. 857.



OPTIONAL EXTENSION SIDE BENCH

It is very useful when cutting large size of tiles and marble slabs.



TRANSPORT WHEELS

Easy to carriage. Only for Art. 857.

/Technical Info

ARTICLE	KG	Technical info										Packaging info		
		1,8Hp / 1,4Kw,6A	2800	200 / 25,4 mm	1250 mm	880 x 880 mm	40 mm	55 mm	35 mm	1170 x 520 mm	175x72 x 65 cm	4 pcs	175x72 x 219 cm	
VIP 2125 (Art. 857)	51,5	1,8Hp / 1,4Kw,6A	2800	200 / 25,4 mm	1250 mm	880 x 880 mm	40 mm	55 mm	35 mm	1170 x 520 mm	175x72 x 65 cm	4 pcs	175x72 x 219 cm	
VIP 2110 (Art. 856)	42,8	1,3Hp / 1,0Kw,4,5A	2800	200 / 25,4 mm	1100 mm	775 x 775 mm	40 mm	55 mm	40 mm	1070 x 403 mm	114x150 x 50 cm	8 pcs	114x150 x 210 cm	
VIP 290 (Art. 855)	40,3	1,3Hp / 1,0Kw,4,5A	2800	200 / 25,4 mm	900 mm	635 x 635 mm	40 mm	55 mm	40 mm	915 x 403 mm	116x128 x 50 cm	8 pcs	116x128 x 210 cm	
VIP 260 (Art. 850)	34,5	1,3Hp / 1,0Kw,4,5A	2800	200 / 25,4 mm	600 mm	420 x 420 mm	40 mm	55 mm	40 mm	600 x 403 mm	120x100 x 50 cm	8 pcs	120x100 x 210 cm	



DO YOU WANT MORE INFO? CHECK THE BATTIPAV WEBSITE AT THIS LINK:
www.battipav.com or write us at sales@battipav.com




/Fittings

ART.	DESCRIPTION	UNIT	WEIGHT
	90262U B-LOCK TILE LOCKING SYSTEM FOR MATERIAL THICKNESS UP TO 40 MM ONLY FOR VIP 2125	1	1,1
	SP07060 STONE DRESSER FOR DIAMOND TOOLS	1	0,2
	993N B-LUX GRIP FOR ABRASIVE SHEET WITH NEUTRAL TUNGSTEN CARBIDE	1	0,2
	993/120N B-LUX ABRASIVE SHEET WITH TUNGSTEN CARBIDE - GR. 120		0,09
	993/60N B-LUX ABRASIVE SHEET WITH TUNGSTEN CARBIDE - GR. 60		0,09
	P1/4 WATER PUMP TYPE P1/4 - CABLE 4MT.	6	6,9
	P0 WATER PUMP TYPE P0	12	11,9
	85015 EXTENSION SIDE-BENCH 60x40 cm	1	5,5
	889 DIAMOND DISK Ø200 C/C	1	0,3
	TNSP200W DIAMOND DISK Ø200 TILE, GRES, PREMIUM, WET	1	0,4
	TNSB200W DIAMOND DISK Ø200 GRES/MARBLE/GRANITE, TURBO BESTEVER, WET	1	0,4

/Price list

ARTICLE	DESCRIPTION	NOTE	PHASE	POWER SUPPLY
857	VIP 2125	With wheels		
856	VIP 2110			
855	VIP 290			
850	VIP 260			

 = 230V. 50Hz.

VIP

